BRITISH FIRES

# PRODUCT BROCHURE

## WELCOME TO

BRITISH FIRES

At British Fires the design and development team has one mindset, uncompromising quality, which drives us to deliver top-end products. Our aim is to help you create a peaceful and relaxing environment.

Ever since the inception of the New Forest 1200 Electric Fire we have continued to develop and attain a reputation for excellent products and customer support. Our award winning LED flame-effect and patented Air Curtain Technology continue to impress clientele from California to Qatar.

We think you will enjoy exploring our collection of products in this brochure. It offers inspiring installations from exquisite wall insets to charming wall mounted suites.

Located on England's beautiful south coast is the New Forest National Park—the inspiration of our electric fireplaces.

The New Forest covers 219 mi² and is home to many parks, farms, golf courses, and outdoor activities. Today, the New Forest is populated mostly by birch, beech, conifers and oak trees. There are also vast areas of heathland due to cultivation from the Bronze Age and prior which gives the National Park its unique terrain and geography.

This natural makeup of the New Forest is what gave us the inspiration to design the Deluxe Real Log fuel beds which comes standard with every fireplace. Please see pages 23–26 to learn more.

# NEW FOREST 650SQ

## DIMENSIONS

| | |
|---|---|
| Width | 654 mm |
| Height | 911 mm |
| Depth | 234 mm |

See page 31 for all dimensions

## INSTALLATION

One-Sided ☐

## FEATURES

DELUXE REAL LOGS

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

SCAN TO LEARN MORE

# NEW FOREST 870

## DIMENSIONS

| | |
|---|---|
| Width | 870 mm |
| Height | 465 mm |
| Depth | 311 mm |

See page 31 for all dimensions

## INSTALLATION

| | |
|---|---|
| One-Sided | |
| Two-Sided | |
| Three-Sided | |

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

## SCAN TO LEARN MORE

# NEW FOREST 1200

## DIMENSIONS

| | |
|---|---|
| Width | 1200 mm |
| Height | 565 mm |
| Depth | 311 mm |

See page 31 for all dimensions

## INSTALLATION

| | |
|---|---|
| One-Sided | |
| Two-Sided | |
| Three-Sided | |

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

SCAN TO LEARN MORE

HEARTH & HOME VESTA AWARD WINNER 2020 The Art of Fire

AWARD WINNING
NEW FOREST
ELECTRIC FIRE

# NEW FOREST 1600

## DIMENSIONS

| | |
|---|---|
| Width | 1600 mm |
| Height | 565 mm |
| Depth | 311 mm |

See page 31 for all dimensions

## INSTALLATION

| | |
|---|---|
| One-Sided | |
| Two-Sided | |
| Three-Sided | |

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

SCAN TO LEARN MORE

# NEW FOREST 1900

## DIMENSIONS

| | |
|---|---|
| Width | 1925 mm |
| Height | 565 mm |
| Depth | 311 mm |

See page 32 for all dimensions

## INSTALLATION

| | |
|---|---|
| One-Sided | |
| Two-Sided | |
| Three-Sided | |

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

## SCAN TO LEARN MORE

# NEW FOREST 2400

## DIMENSIONS

| | |
|---|---|
| Width | 2375 mm |
| Height | 565 mm |
| Depth | 311 mm |

See page 32 for all dimensions

## INSTALLATION OPTIONS

| | |
|---|---|
| One-Sided | |
| Two-Sided | |
| Three-Sided | |

## FEATURES

Two 1500w heaters which requires two 10 Amp outlets drawing a total of 13.05 Amps

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe*

SCAN TO LEARN MORE

# KNIGHTWOOD

## DIMENSIONS

| | |
|---|---|
| Width | 654 mm |
| Height | 911 mm |
| Depth | 234 mm |

See page 33 for all dimensions

## INSTALLATION

One-Sided ☐

## FEATURES

DELUXE REAL LOGS

## TIER OPTIONS

*Deluxe* *Black Edition*

SCAN TO LEARN MORE

# ASHLETT INSERT

## DIMENSIONS

| | |
|---|---|
| Width | 650 mm |
| Height | 490 mm |
| Depth | 300 mm |

See page 33 for all dimensions

Upgrade with a steel frame finished in a textured powder coat black paint for a premium appearance

## INSTALLATION

- One-Sided ☐
- Two-Sided ☐
- Three-Sided ☐

**DELUXE REAL LOGS**

## TIER OPTIONS

*Deluxe* *Black Edition*

**SCAN TO LEARN MORE**

# HOLBURY SUITE

## AVAILABLE SIZES & COLOURS

870, 1200 & 1600

Grey marble-effect or White marble-effect

See page 33 for all dimensions

## INSTALLATION

One-Sided

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Deluxe*

## SCAN TO LEARN MORE

# BROCKENHURST SUITE

## AVAILABLE SIZES & COLOURS

870, 1200 & 1600

Grey marble-effect or White marble-effect

See page 34 for all dimensions

## INSTALLATION

Wall Hung Three-Sided

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

## SCAN TO LEARN MORE

# WINCHESTER SUITE

## AVAILABLE SIZES & COLOURS

870, 1200 & 1600

Grey marble-effect or White marble-effect

See page 34 for all dimensions

## INSTALLATION

Wall Hung Three-Sided

## FEATURES

DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®

## TIER OPTIONS

*Signature* *Deluxe* *Black Edition*

## SCAN TO LEARN MORE

# PRODUCT TIERS

Explore the three tiers of British Fires, from the sleek Signature to exquisite Deluxe and up to the ultimate, Black Edition we offer a variety of product upgrades that are desirable for any lifestyle.

## Signature

Crafted ceramic Signature Logs that look remarkably convincing with charred log details.

The base is finished with crystals, dark and light slate. The look is finished with a mirrored rear glass enhancing the 3D effect with downlights on.

**Available for New Forest 650SQ, 870, 1200, 1600, 1900, 2400, Brockenhurst & Winchester Suites.**

## Deluxe

Elevate your fire with Deluxe Real Logs and bring the charm of an authentic fireplace within view. The logs are scorched and charred by hand then set solidly into place for an easy installation. The Deluxe tier includes a mirrored rear glass but can be upgraded further with Dark Rear Glass to minimise reflection of the room and to boldly contrast the flames creating a dramatic view.

**Available for New Forest 650SQ, 870, 1200, 1600, 1900, 2400, Brockenhurst Suites, Winchester Suites, Knightwood & Ashlett.**



## Black Edition

The Black Edition puts the spotlight on the Deluxe Real Logs with the downlights on and the Rear Dark Glass in the back. The Black Edition dampens reflections within the room with it's Anti Reflective (AR) glass on the front which allows the Deluxe Real Logs to take centre-stage almost eliminating reflection and creating a dramatic high definition effect. The Black Edition is the ultimate British Fire.

**Available for New Forest 650SQ, 870, 1200, 1600, 1900, Brockenhurst Suites, Winchester Suites, Knightwood & Ashlett.**

# DELUXE REAL LOGS

As standard, your electric fireplace is installed with our premium Deluxe Real Logs for all models.

Each Deluxe Real Log is unique and artisanally crafted using actual logs found in nature. They really enhance an already prominent statement piece in any room and will take any viewer by surprise — especially when you tell them that they are real logs.

The Signature Log set is also available as an alternative fuel bed option.

DELUXE REAL LOGS

SCAN TO LEARN MORE

# BE IN CONTROL

### FLAME CONTROL

Adjust the height of the flame-effect to suit your mood.

### DOWN LIGHTING

Turn on the downlights to put the fuel bed media in the spotlight or, relax the mood with the flame-effect as the prominent feature.

### FUEL BED COLOUR CHANGE

Try each colour that provides it's own unique ambiance. Can't decide? Try the setting that gently cycles through each colour on a loop.

### DAILY AND WEEKLY TIMER

Schedule when you want the heat. The seven-day programmable calendar will remember your settings and activate the thermostatic heater as scheduled.

### TIMER BOOST

Choose to boost the heat between one and nine hours.

### THE HEAT IS ON – ONLY WHEN IT'S NEEDED

Choose a temperature between 17° & 27°C and the A.C.T. will do the work. Once it does, the thermostatically controlled heater will turn off, automatically.

### OPEN WINDOW DETECTION

If there is a drop in temperature of 5°C or more within a 10-minute period the heater automatically turns off to preserve energy.

# AIR CURTAIN TECHNOLOGY®

### MAXIMISING THE DISTRIBUTION OF HEAT

With the expertly designed dual-vent system being a funnel-shape the warmed air is disperse – not just forward – but, widely into a room.

### DISCREET HEAT CREATES A SLEEK DESIGN

Because the heater sits above the glass the offset to the trim of the firebox is very narrow. This allows for a contemporary and sleek design.

### IN WITH THE COOL AND OUT WITH THE WARM

Cooler room air is pulled in, then heated and pushed out via the dual-vent heating system.



# PRODUCT DIMENSIONS

## NEW FOREST 650SQ




| | |
|---|---|
| A | 911.0 mm |
| B | 222.0 mm |
| C | 654.0 mm |
| D | 654.0 mm |
| E | 150.0 mm |
| F | 620.0 mm |
| G | 620.0 mm |
| H | 234.0 mm |

## NEW FOREST 1200




| | |
|---|---|
| A | 1178.0 mm |
| B | 311.0 mm |
| C | 1200.0 mm |
| D | 565.0 mm |
| E | 424.0 mm |
| F | 300.0 mm |
| G | 55.5 mm |
| H | 67.0 mm |
| I | 83.5 mm |

## NEW FOREST 1900




| | |
|---|---|
| A | 1900.0 mm |
| B | 311.0 mm |
| C | 1925.0 mm |
| D | 565.0 mm |
| E | 424.0 mm |
| F | 300.0 mm |
| G | 55.5 mm |
| H | 67.0 mm |
| I | 83.5 mm |

## NEW FOREST 870




| | |
|---|---|
| A | 845.0 mm |
| B | 311.0 mm |
| C | 870.0 mm |
| D | 465.0 mm |
| E | 329.0 mm |
| F | 300.0 mm |
| G | 55.5 mm |
| H | 67.0 mm |
| I | 83.5 mm |

## NEW FOREST 1600




| | |
|---|---|
| A | 1578.0 mm |
| B | 311.0 mm |
| C | 1600.0 mm |
| D | 565.0 mm |
| E | 424.0 mm |
| F | 300.0 mm |
| G | 55.5 mm |
| H | 67.0 mm |
| I | 83.5 mm |

## NEW FOREST 2400




| | |
|---|---|
| A | 2352.0 mm |
| B | 311.0 mm |
| C | 2375.0 mm |
| D | 565.0 mm |
| E | 424.0 mm |
| F | 300.0 mm |
| G | 55.5 mm |
| H | 67.0 mm |
| I | 83.5 mm |

This model has two 1500w heaters which requires two 10 Amp outlets drawing a total of 13.05 Amps. Therefore, it may require it's own circuit. For an optimal installation, it is recommended that it is hard-wired with it's own circuit.



Installation: Please contact your local British Fires dealer for information on this.

Drawings are not to scale and are only for illustrative purposes.

# PRODUCT DIMENSIONS

## HOLBURY SUITE




### Holbury 870 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 845.0 mm | B | 1050.0 mm | C | 322.5 mm | D | 509.0 mm | E | 797.0 mm | F | 309.0 mm |
| G | 845.0 mm | H | 292.5 mm | I | 30.0 mm | J1 | 24.0 mm | J2 | 35.0 mm | K | 465.0 mm |

### Holbury 1200 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1178.0 mm | B | 1440.0 mm | C | 322.5 mm | D | 628.0 mm | E | 1127.0 mm | F | 403.0 mm |
| G | 1175.0 mm | H | 292.5 mm | I | 30.0 mm | J1 | 24.0 mm | J2 | 35.0 mm | K | 565.0 mm |

### Holbury 1600 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1578.0 mm | B | 1840.0 mm | C | 322.5 mm | D | 628.0 mm | E | 1527.0 mm | F | 403.0 mm |
| G | 1575.0 mm | H | 292.5 mm | I | 30.0 mm | J1 | 24.0 mm | J2 | 35.0 mm | K | 565.0 mm |

## KNIGHTWOOD




| | |
|---|---|
| A | 802.0 mm |
| B | 1529.0 mm |
| C | 1159.0 mm |
| D | 720.0 mm |
| E | 151.0 mm |
| F | 178.0 mm |
| G | 392.5 mm |
| H | 725.0 mm |
| I | 380.0 mm |

## ASHLETT INSERT




| | |
|---|---|
| A | 652.0 mm |
| B | 491.0 mm |
| C | 677.0 mm |
| D | 313.0 mm |
| E | 363.0 mm |
| F | 82.0 mm |
| G | 90.0 mm |

## BROCKENHURST SUITE




### Brockenhurst 870 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1400.0 mm | B | 404.0 mm | C | 1020.0 mm | D | 536.0 mm | E | 331.0 mm | | |
| F | 100.0 mm | G | 105.0 mm | H | 87.0 mm | I | 317.5 mm | J | 72.5 mm | | |

### Brockenhurst 1200 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1730.0 mm | B | 404.0 mm | C | 1350.0 mm | D | 630.5 mm | E | 425.5 mm | | |
| F | 100.0 mm | G | 105.0 mm | H | 87.0 mm | I | 317.5 mm | J | 72.5 mm | | |

### Brockenhurst 1600 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 2130.0 mm | B | 404.0 mm | C | 1750.0 mm | D | 630.5 mm | E | 425.5 mm | | |
| F | 100.0 mm | G | 105.0 mm | H | 87.0 mm | I | 317.5 mm | J | 72.5 mm | | |

## WINCHESTER SUITE




### Winchester 870 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1200.0 mm | B | 404.0 mm | C | 1200.0 mm | D | 611.0 mm | E | 331.0 mm | | |
| F | 140.0 mm | G | 140.0 mm | H | 87.0 mm | I | 317.5 mm | J | 72.5 mm | | |

### Winchester 1200 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1530.0 mm | B | 404.0 mm | C | 1530.0 mm | D | 705.0 mm | E | 425.0 mm | | |
| F | 140.0 mm | G | 140.0 mm | H | 86.5 mm | I | 317.5 mm | J | 72.5 mm | | |

### Winchester 1600 Suite

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | 1930.0 mm | B | 404.0 mm | C | 1930.0 mm | D | 705.0 mm | E | 331.0 mm | | |
| F | 140.0 mm | G | 140.0 mm | H | 87.0 mm | I | 317.5 mm | J | 72.5 mm | | |

Installation: Please contact your local British Fires dealer for information on this.

Drawings are not to scale and are only for illustrative purposes.

# CONTACT


1800 271 040
sales@britishfires.com.au
www.britishfires.com.au

British Fires Ltd
Distributed in Australia by:
Dragon Wholesaling Pty Ltd
PO Box 8051
Baulkham Hills BC. NSW 1755


# GUARANTEE

At British Fires we pride ourselves on quality and performance, so much so, that each British Fires electric product is applicable for a 5-year guarantee when purchased from an authorised dealer and registered online. Full warranty terms and conditions are available to view at: www.britishfires.com.au

All appliances must be installed in a correctly ventilated space in accordance with the manufacturer's installation instructions and the rules in force. This brochure is for guidance only and is not intended to replace the installation manual, which provides more detailed information. March 2025. British Fires®


03/2025

BRITISH
FIRES

www.britishfires.com.au