# Lopi™

## Linear Gas Fireplace Range

Lopi Fireplaces have been skillfully manufactured in the USA since 1980 by America's largest privately owned fireplace company, Travis Industries. The 11 acre manufacturing facility in Mukilteo, Washington State, aptly named "The House of Fire" employs up to 600 employees and is located just 30 minutes north of Seattle. All Fireplaces have industry leading warranties and customer service and support.

Lopi fireplaces have been warming Australian homes for more than 30 years and are sold exclusively at over 75 fireplace specialists throughout the country.

## How Do You Say Lopi?

**Lopi** [**low**-pie]

*noun*

1. Beauty, strength and independence.

We hear a lot of different pronunciations - Lopey...Loopee...Loppy!
It's actually pronounced "Low-Pie" and was created by the president of Travis Industries, Kurt Rumens.
Lopi means beauty, strength and independence and has become a legend in its own right.

## **ProBuilder™** *Linear Gas Series* | See Pages 6-9

The ProBuilder™ series represents Lopi's entry level linear gas fireplace range.
All models feature large viewing areas with multiple media options and are available in 2 sizes.
PB42 - 1163mm wide or PB54 - 1467mm wide.

## **Premium ProBuilder™** *Linear Gas Fireplace* | See Pages 10-11

The Premium ProBuilder™ Series includes all of the features and media options of the Premium HO Range just with a little less heat.

## **Premium HO** *Linear Gas Fireplaces* | See Pages 14-23

The Premium Series represents fully featured GreenSmart® 2 fireplaces in a linear style.
All models feature high heat output, discreet safety screens, 6 speed fans, multiple media & finishing options and beautiful under-lighting.



# ‘No Power Required’

## Natural Draft
## Direct Vent Technology

Every Lopi gas fireplace features
**‘Natural Draft Direct Vent Technology’**

This process naturally draws fresh air into the firebox from outside and removes all exhaust gases back outside without effecting the air quality in the room.

Best of all, this technology means that this process does not require power which makes for a quiet, reliable fireplace that can even be used during a power outage.



# CoolSmart™ Wall - Design Flexibility

The unique features of CoolSmart™ Wall allows you to sit back and watch your television in complete comfort and silence. When you switch off the fans on your Lopi fireplace you can enjoy the radiant heat and beautiful flames whilst the CoolSmart system safely pulls the heat away to a wall mounted vent acting as a “powerless fan”.
The CoolSmart™ system is available as either a top vent (vent above the fireplace) or as a side vent configuration where vents are mounted to either side of the fireplace enclosure.

CoolSmart™ Vents hot air to top or side vents

CoolSmart™ Side Vent Option

CoolSmart™ Top Vent Option

- TV or Artwork - No Recess Required
- Reduced Clearances Above Fireplace to TV or Artwork
- Finish Your Wall with a Combustible Material*
- Hang artwork or TV without a deflector shelf

*Lopi Linear Range Only - When combustible is mounted to 1/2” Non Combustible Board

# ProBuilder™ Linear Series - *Features*

### GreenSmart® Basic Technology

The GreenSmart® Basic burner system means simple reliable fireplace performance every time. Easy on/off operation via included wall switch / flip down control panel or with optional remote upgrade featuring thermostat functionality.

### Economical Performance

The ProBuilder Linear range uses less gas than the Premium HO range but thanks to the slim firebox depth and baffle design there's still plenty of heat, it's just even more economical to run.

### Flush Design - Clear Fire Safety Screen

A very fine mesh safety screen is included on every Lopi gas fireplace. This mesh is strong but so fine that it does not interrupt the view of your fireplace. The screen is mounted safely from the ceramic glass so any potential danger is eliminated.

Fine mesh 'Clear Fire Safety Screen' - Almost Invisible!

### Same Lopi Quality - Lower Price Point

The ProBuilder™ Linear range is built in the same factory and with the same quality as our range of premium models, there is just a few less features. For those that want the incredible beauty of a Lopi fireplace there are now three models to select from.

### Quiet Fans

Each Lopi ProBuilder™ fireplace features quiet dual fans that are controlled by a full variable dial in the flip down control panel.
The fans can even be turned off completely when relaxing in front of the TV providing complete control.

Lopi ProBuilder™ 42 GSB - Bronze Glass

# Lopi **ProBuilder™ 42 GSB**

The ProBuilder 42  Linear Gas Fireplace is the perfect choice for anyone seeking a beautiful, reliable and economical way to heat their home.
The ProBuilder™ 42 model is the smallest in this range but at over 1150mm wide it's not that small!
Designed to provide comforting radiant heat plus excellent natural convection to homes and living spaces up to 100sqm*.

**Heating Capacity:** Up to 100Sqm*
**Mj Input:** High 26Mj NG & LPG
Low NG & LPG 14Mj
**Max kW Output:** 4.62
**Viewing Screen:** 1163mm wide x 521mm high

See Page 9 for ProBuilder™ Linear Series Finishing Options

Lopi ProBuilder™ 42 GSB - Platinum Glass
*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

# Lopi **ProBuilder™ 54 GSB**

The ProBuilder™ 54 GSB is over 1.4 metres wide and the perfect size for a feature wall in larger living spaces.
This fireplace is the perfect choice for anyone seeking a beautiful, reliable and economical way to heat their home and wide enough to make a statement.
This model features sleek, elegant styling and a contemporary fire viewing area that showcases tall dancing flames. This fireplace is designed to provide comforting radiant heat plus excellent natural convection to homes and living spaces up to 150sqm.

**Heating Capacity:** Up to 150Sqm*
**Mj Input:** High 34.8Mj NG & LPG
Low NG 19.2Mj | LPG 18Mj
**Max kW Output:** 5.98
**Viewing Screen:** 1467mm wide x 521mm high

See Page 9 for ProBuilder™ Linear Series Finishing Options



GREEN2SMART™

Lopi ProBuilder™ 54 GSB - Bronze Glass, Glass Fireback Liner
*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

# **ProBuilder™ Linear** - Fuel Bed Options

## **Rock Embers & Glass Colours** (One Option Required)

Your Lopi ProBuilder™ Linear Fireplace ships as standard with your choice of 4 glass colours or rock embers options for the floor of the fireplace.
(Note: Rock Embers do not allow Accent Lighting to shine through on ProBuilder™ 72 GS2 model)

Black Reflective Glass

Platinum Reflective Glass

Bronze Reflective Glass

Cobalt Reflective Glass

Rock Embers

Amber Glass (PB 72 GS2 Only)

Traditional Log

Driftwood Twig & Stone Fyre-Art™ (Not Available on GSB Models)

Tumbled Stone

Glass Only

### **Fire-back Liners**

Rear glass fire-back liners are available on all ProBuilder™ Linear models and enhance the flame effect of the fireplace dramatically, seemingly doubling the amount of flames seen within the fire.

Black Glass Fire Liner - Close-up

### **GreenSmart® Basic Remote**

The GreenSmart Basic remote is available on all ProBuilder™ models and allows you to set an on/off thermostat and switch your fireplace on or off without getting up!

# Premium ProBuilder™ Linear Series - *Features*

**GreenSmart® 2 Technology**
The Lopi Premium ProBuilder™ Series is fully equipped with the latest GreenSmart 2 Technology. This allows you to take control of all the GreenSmart features from your thermostat remote control.

**Accent Lighting**
The accent lighting allows under lighting to shine through the glass fuel bed for additional ambient lighting and to enhance the flame effect. These lights can be controlled from off up to 6 levels in intensity to suit your mood.

**Symmetrical Fascia**
As the Premium ProBuilder™ Series is controlled entirely by remote it does not require controls on the standard flip down control panel.
This results is a very contemporary symmetrical fascia.

**Clear Fire Safety Screen**
A very fine mesh safety screen is included on every Lopi gas fireplace. This mesh is strong but so fine that it does not interrupt the view of your fireplace. The screen is mounted 25mm from the ceramic glass so any potential danger is eliminated.

**Optional Birch & Driftwood Log Media**

Birch Log

Driftwood Log

See GreenSmart® Features on Page 14

# Lopi **Premium ProBuilder™ 72 GS2**

The ProBuilder™ 72 GS2 features everything available on the ProBuilder GSB models but with the addition of GreenSmart® 2 technology. It is over 1.9 metres wide and comes standard with Accent Lighting, GreenSmart® 2 Remote, additional media options and a symmetrical fascia.
This fireplace is designed to provide comforting radiant heat plus excellent natural convection to homes and living spaces up to 200sqm with all the benefits of our premium features.

**Heating Capacity:** Up to 200Sqm*
**Mj Input:** High 43.8Mj NG & LPG
Low NG 23.1Mj | LPG 22.3Mj
**Max kW Output:** 6.56
**Viewing Screen:** 1924mm wide x 521mm high

See Page 9 for ProBuilder™ Linear Series Finishing Options

GREEN2SMART™

Lopi ProBuilder™ 72 GS2 - Bronze Glass, Tumbled Stone, Black Glass Fireback Liner
*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

## Lopi ProBuilder 42 & 54GSB

See Installation Manual for full clearances




* Includes the required 1/2" clearance to each side and rear of the fireplace.




(a) The fireplace enclosure must be a minimum 1150mm tall.
Do not build into the fireplace enclosure.

## Lopi ProBuilder 72GS2

See Installation Manual for full clearances




* Includes the required 1/2" clearance to each side and rear of the fireplace.







(a) The fireplace enclosure must be a minimum 1727mm tall.
Do not build into the fireplace enclosure.

Lopi 6015 HO GS2 - Platinum Glass, Black Glass Fire-back Liner & 10mm Trim

# Premium Series GreenSmart® 2 Features

Exclusively Featuring GREENSMART™

Every Premium Lopi fireplace features GreenSmart® 2 Technology - the most advanced burner system available.
The GreenSmart® 2 system allows full control of your Premium Lopi fireplace by remote control.
You can select a thermostat mode, flame height, accent light level or choose between the six fan speeds or even switch off the fans completely.




## GreenSmart 2™ Featuring

- **GreenSmart® Remote -** A remote control supplied as standard allowing you to control the GreenSmart 2™ features
- **GreenSmart® Pilot -** Both electronic (IPI) & continuous (CPI) pilot modes
- **Accent lighting -** Adding a warm glow to your fire for added atmosphere
- **Smart or On/Off Thermostat Modes -** An option that automatically adjusts flame height to a set temperature and switch on/off
- **6 Speed Blower** - For increased transfer of convection heat

# **Premium HO** Linear Series - *Features*

### Tall Dancing Flames
Lopi linear gas fireplaces feature beautiful tall flames filling the firebox. These tall flames surpass any other fireplace available.

### Ceramic Glass
Ceramic glass increases the radiant heat emitted from your fireplace. Switch off the fans and benefit from the silent heat it produces.

### High Heat Output
Every Lopi Premium Linear Fireplaces is a high heat output unit.
The combination of ceramic glass, gas input and powerful blowers make these fireplaces unbeatable heaters when required.

### Clear Fire Safety Screen
A very fine mesh safety screen is included on every Lopi gas fireplace. This mesh is strong but so fine that it does not interrupt the view of your fireplace. The screen is mounted 25mm from the ceramic glass so any potential danger is eliminated.

Fine mesh 'Clear Fire Safety Screen' - Almost Invisible!

### Accent Lighting
The accent lighting allows under lighting to shine through the glass fuel bed for additional ambient lighting and to enhance the flame effect. These lights can be controlled from off up to 6 levels in intensity to suit your mood.

### Quiet Blowers
Each Lopi Linear fireplace features quiet dual blowers that are controlled by the GreenSmart® Remote Control which can be turned off completely and up to 6 speeds for complete control.

Lopi 6015 HO GS2 - Platinum Glass, Driftwood, Black Glass Liner & 50mm Trim

# Lopi **3615 HO GS2**

The Lopi 3615 HO GS2 is the smallest in the Premium Linear fireplace line-up. Featuring a glass viewing area of 950mm wide, high dancing flames and stunning under lighting, this fireplace packs a large punch for it's size.

The smaller dimensions of the 3615 make it suitable for smaller walls or room proportions. The 3615 has a gas input of 35Mj/hr and ceramic glass for increased radiant heat.

**Heating Capacity:** Up to 158Sqm*
**Mj Input:** High 34.8Mj NG & LPG
Low NG 19.3Mj | LPG 18.5Mj
**Max kW Output:** 7.2
**Viewing Screen:** 950mm wide x 400mm high

Lopi 3615 HO GS2 - Bronze Glass, Twig & Stone, Black Glass Fireback Liner
*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

# Lopi **4415 HO GS2**

The 4415 HO GS2 gas fireplace brings you the very best in home heating and style with its sleek, linear appearance and impressively high heat output.

With a long row of dancing flames and built-in fans, the 4415 is not only an excellent heater but a beautiful focal point in your home. Turn on the under-lighting that shines through the translucent glass floor and you've got magic whether the fire is on or off.

This sophisticated fireplace can accompany any architectural style with a selection of fire-back liner options along with four media types.

| | |
|---|---|
| **Heating Capacity:** | Up to 195Sqm* |
| **Mj Input:** | High 44Mj NG & LPG |
| | Low 22Mj NG & LPG |
| **Max kW Output:** | 10.58 |
| **Viewing Screen:** | 1150mm wide x 400mm high |

GREEN2SMART™

Lopi 4415 HO GS2 - Bronze Glass, Black Glass Fireback Liner, 50mm Trim

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

# Lopi **4415ST HO GS2**

The Lopi 4415 ST HO GS2 is the double sided linear fireplace with a difference.

This striking double sided fireplace features ceramic glass for increased radiant heat, dual blowers that can be directed equally to both sides of the fireplace or adjusted to blow out of just one side for design flexibility.**

The 4415 ST HO GS2 has a huge viewing area and a heating capacity of up to 185sqm* so this fireplace will not only look good but work as a heating solution for large or multiple connected rooms.

| | |
|---|---|
| **Heating Capacity:** | Up to 185Sqm* |
| **Mj Input:** | High 44Mj NG & LPG |
| | Low 22MJ NG & LPG |
| **Max kW Output:** | 9.38 |
| **Viewing Screen:** | 1150mm wide x 400mm high |

Lopi 4415ST HO GS2 - Black Glass, Driftwood, 50mm Trim

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

# Lopi **6015 HO GS2**

The Lopi 6015 HO GS2 is the largest in the Lopi linear range of gas fireplaces. The 6015 features almost 1.5 metres of flame, beauty and heat!

With under-lighting, glass and optional media, this fireplace will certainly be a focal point in your home as well as providing heating of up to 260Sqm*

The 6015 can be turned down by nearly 50% to create a more subtle heat whilst maintaining an impressive flame.

**Heating Capacity:** Up to 260Sqm*
**Mj Input:** High 59.1Mj NG & LPG
Low NG 31.9Mj | LPG 31.3Mj
**Max kW Output:** 14.19
**Viewing Screen:** 1556mm wide x 400mm high

Lopi 6015 HO GS2 - Black Glass, Traditional Log, Black Glass Fireback Liner, 10mm Trim

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

GREEN2SMART

# **Premium HO Linear Range** - Fuel Bed Options

## **Rock Embers & Glass Colours** (One Option Required)

Your Lopi Premium HO Linear Fireplace ships as standard with your choice of 4 glass colour options for the floor of the fireplace.
The glass allows the under Accent Lighting to shine through the shimmering glass floor.
In addition there is an alternative floor option of Rock Embers which provides a beautiful rock base to the floor of your fireplace or the glowing Amber Glass.
(Note: Rock Embers do not allow Accent Lighting to shine through)

Black Reflective Glass

Platinum Reflective Glass

Bronze Reflective Glass

Cobalt Reflective Glass

Rock Embers

Amber Glass

## **Additional Media Options**

Driftwood Log Fyre-Art™

Driftwood Twig & Stone Fyre-Art™

Traditional Log

Tumbled Stone

Birch Log

## Fire-back Liners

Fireback liners are the rear and side panels within the firebox itself and can enhance the fireplace dramatically. As standard the black painted liners are provided which is a non-reflective black painted finish.

The optional black glass liner seemingly doubles the amount of flames seen within the fire by reflecting the flames on three sides of the firebox. The silver liner option is a more subtle less reflective contemporary finish that can compliment surrounding metallic materials. The Ledgestone fire-back liner provides a stacked stone appearance within the fire that creates interesting shadows around the varying stone edges from the under-lighting and flame.

Black Painted

Black Glass

Silver

Ledgestone

## Finishing Trims

Complete your premium linear fireplace with a stylish 10mm beveled or 50mm flat finishing trim. Alternatively extend the overall width by using the Gallery face option.

10mm Black Finishing Trim

50mm Black Finishing Trim

Gallery Face

**CoolSmart™ Wall** - See Page 5

## Lopi 3615 HO GS2

See Installation Manual for full clearances




* Includes the requisite clearance to framing (4mm to rear, 16mm to the sides)




**Note:**
If a painted wall finish is required a non-combustible wall lining must be used in lieu of plasterboard. Please be advised that 'fire rated' plasterboard is not considered as non-combustible wall sheeting

** From base of firebox, add to this any raised base.

(a) The fireplace enclosure must be a minimum 1372mm tall (do not build into the fireplace enclosure)

## Lopi 4415 HO GS2

See Installation Manual for full clearances




* Includes the requisite clearance to framing (4mm to rear, 16mm to the sides)




**Note:**
If a painted wall finish is required a non-combustible wall lining must be used in lieu of plasterboard. Please be advised that 'fire rated' plasterboard is not considered as non-combustible wall sheeting

** From base of firebox, add to this any raised base.

(a) Minimum Enclosure Height 1524mm

(a) The fireplace enclosure must be a minimum 1574mm tall (do not build into the fireplace enclosure)

## Lopi 4415ST HO GS2

See Installation Manual for full clearances




* Includes the requisite clearance to framing 16mm to the sides

FRAMING WARNING:
Depending upon vent configuration, framing above the fireplace may be placed flat to the wall (or notched) to allow proper clearances to the vent.







HINT
The fireplace has a front and back side. The front is marked "ACCESS SIDE" and has latches for servicing. Make sure to place the front in the more servicable location.

* The 393mm dimension is based upon 10mm drywall around the perimeter of the fireplace on both sides. If using thicker drywall (or other facing), you will need to adjust this dimension.

## Lopi 6015 HO GS2

See Installation Manual for full clearances




* Includes the requisite clearance to framing (4mm to rear, 16mm to the sides)

***NG (all configurations) or LP with 914mm Rise (or greater)**
****LP with less than 914mm Rse (Minimum of 610mm Rise)**




ⓐ The fireplace enclosure must be a minimum 1677mm* or 1829mm** tall (do not build into the fireplace enclosure)

**Note:**
If a painted wall finish is required a non-combustible wall lining must be used in lieu of plasterboard. Please be advised that 'fire rated' plasterboard is not considered as non-combustible wall sheeting

Frame height from base of firebox, add to this any raised base.

Authorised Lopi Dealer:

Proudly Supporting

STEVE WAUGH FOUNDATION
www.stevewaughfoundation.com.au

Distributed in Australia
by Dragon Wholesaling Pty Ltd
Ph. 1800 064 234
www.lopi.com.au

**Note:** Improper installation of your gas appliance or failure to operate it in accordance to the guidelines detailed in the installation manual may negate warranty and endanger your home and family. Installation information is available on our website at www.lopi.com.au
We recommend all Lopi appliances be installed and maintained on an annual basis by your local authorised Lopi dealer.

Brochure Version 08/2023